



পপুলার ডায়াগনস্টিক সেন্টার লিঃ POPULAR DIAGNOSTIC CENTRE LTD.

Mymensingh Branch : 252/1, Charpara Road (Opposite of Mymensingh Medical College & Hospital), Mymensingh, Hotline : 09613 787814, 09666787814
Head Office : House # 16, Road # 2, Dhanmondi, Dhaka, Hotline : 09613 787801, 09666787801, E-mail : info@popularidiagnostic.com, Web : www.popularidiagnostic.com

LABORATORY SERVICES

Patient Name	Dr. Ashik Bin Mamun	Lab No	14379953
UHID	140325390	Sample Collection Date	30/01/2022 10:53AM
Age/Gender	30 Yrs/Male	Receiving Date	30/01/2022 11:37AM
Referred By	Self	Report Date	30/01/2022 1:14PM
		Report Status	Final



Test Name	Result	Unit	Reference Range
-----------	--------	------	-----------------

BIOCHEMISTRY REPORT

ALT (SGPT) 23 U/L Male : Up to 41
Female : Up to 33

Sample: Serum

Electrolytes


Sample: Serum

Sodium (Na) 141.00 mmol/L 136.0 - 145.0
Potassium (K) 4.10 mmol/L 3.50 - 5.10
Chloride (Cl) 105.00 mmol/L 98.00 - 107.00
Bicarbonate (HCO₃) 23.00 mmol/L 22.00 - 28.00

Lipid Profile

Sample: Serum

Cholesterol (Total) 190.00 mg/dL Desirable Level : <200.00
Borderline high : 200.00 - 239.00
High Cholesterol : >= 240.00
HDL- Cholesterol 37.00 mg/dL Desirable : > 60.00
Risk factor : < 40.00
LDL -Cholesterol 135.00 mg/dL Desirable : < 100.00
Borderline high: 130.00 - 159.00
High : 160.00 - 189.00
Triglycerides 90.00 mg/dL Desirable : < 150.00
Borderline high: 150.00 - 199.00
High : 200.00 - 499.00


Jahanur Islam
B.Sc (Hons), M.Sc Biochemistry & Molecular
Biology
Biochemist, Popular Diagnostic Center Ltd.