


পপুলার ডায়াগনস্টিক সেন্টার লিঃ POPULAR DIAGNOSTIC CENTRE LTD.

Rajshahi Branch : Chowdhury Tower, B-474, Chowdhury Lane, Laxmipur, Rajshahi, Hotline : 09613787811, 09666787811
Head Office : House # 16, Road # 2, Dhanmondi, Dhaka, Hotline : 09613 787801, 09666787801, E-mail : info@popularadiagnostic.com, Web : www.popularadiagnostic.com

LABORATORY SERVICES

Patient Name	Pritha Sarker	Lab No	50050680	
UHID	500047927	Sample Collection Date	22/07/2023 7:53AM	
Age/Gender	11 Yrs/Female	Receiving Dates	22/07/2023 9:07AM	
Referred By	Prof. Dr. Mamun Al-Mahtab. (Shwapnil). MBBS. Msc. FACG. MD. #RAJ2413	Report Date	22/07/2023 11:36AM	
		Report Status	Final	

Test Name	Result	Unit	Reference Range
-----------	--------	------	-----------------


BIOCHEMISTRY REPORT

Sample: Serum

Lipid Profile

Cholesterol (Total)	187.00	mg/dL	Desirable Level: <200.00 Borderline high: 200.00 - 239.00 High : >= 240.00
HDL- Cholesterol	44.00	mg/dL	Desirable : > 60.00 Risk factor : < 40.00
LDL -Cholesterol	88.00	mg/dL	Desirable : < 100.00 Borderline high:130.00 - 159.00 High :160.00 - 189.00
Triglycerides	277.00	mg/dL	Very high:>190.00 Desirable : < 150.00 Borderline high: 150.00 - 199.00 High : 200.00 - 499.00 Very high:>500.00

Urinary Amylase	141	U/L	Sample: URINE Men : 16.00 - 491.00 Women : 21.00 - 447.00
-----------------	-----	-----	---


MIZANUR RAHMAN
B.Sc.(Hons.), M.Sc(Biochem & M.Biology) (RU)
Biochemist
Popular Diagnostic Center Ltd.