



Azad Ultrasonography & Consultation Center

আজাদ আল্ট্রাসোনোগ্রাফি এন্ড কন্সাল্টেশন সেন্টার

‘সিলভার প্রীহা’ (২য় তলা), শহীদ ধীরেন্দ্রনাথ দত্ত সড়ক, ধর্ম সাগরের পশ্চিমপাড়, কুমিল্লা।

মোবাইল: ০১৭৩৮-৯৬৮১৯২ E-mail: drmustafa.k.azad@gmail.com

| | | | | | |
|--------------|-----|--------------|------|-----|----------|
| Memo No | : - | | Date | : - | 02/12/24 |
| Patient Name | : - | Noor Hossain | Age | : - | 59 Years |
| Referred By | : - | Self | Sex | : - | Male |


Ultra Sonogram of Whole Abdomen

- Liver** : Normal in size (13.65 cm) & mildly increased echogenicity without any focal lesion.
- B-Trees** : Both intra & extra hepatic biliary channels are not dilated. CBD is not dilated.
- G-BLADDER** : Gall bladder is normal in size & wall thickness is normal. Multiple echogenic structures casting posterior acoustic shadows are seen in its lumen. No pericholecystic collection seen.
- Pancreas** : Normal in size, shape & echotexture with no focal lesion. Pancreatic duct is not dilated.
- Spleen** : Normal in size & uniform in echotexture.
- Kidney** : Bipolar Diameter of Rt. Kidney = 8.02 cm
Bipolar Diameter of Lt. Kidney = 8.81 cm
Cortical echogenicity & CMD appear normal.
Pelvic caliceal systems are not dilated.
Indentation seen in outer cortex of right kidney.
- U-Bladder** : Well filled. Irregular in outline.
Wall appear thickened (8.9 mm) irregular and echogenic.
- Prostate** : Normal in size (3.49x2.62x2.86 cm) Volume = 13.69 ml
& echotexture is uniform.
- PVR = 75 ml**

IMPRESSION: Sonographic feature suggestive of-

- Cholelithiasis.
- Fatty liver grade-I.
- Chronic cystitis.
- Significant PVR.

Prepared by - Srabonty


Professor Dr. Md. Mustafa Kamal Azad
MBBS, M. Phil (Radiology)
WHO, Fellow MRI & C.T. Scan
(Singapore & Mumbai, India.)
Ex. Principal & Head Dept. of Radiology & Imaging
Cumilla Medical College & Hospital

This is only professional report and not for final diagnosis. It should be correlated with clinical and radiological Parameters. Please intimate us for typing mistake/misplacement of report if any and send the report for correction immediately.